

## Skill name

## Plastering and Drywall Systems

Criteria	Mark
A GENERAL ASPECTS	10.00
B MEASUREMENT	20.00
C SQUARE/PLUMB/LEVEL	20.00
D MOULDINGS AND COATINGS	20.00
E TECHNICAL CONFORMITY	10.00
F MODULE 3 (SPEED MODULE)	4.00
G MODULE 4 (FREESTYLE MODULE)	8.00
H HEALTH,SAFETY AND CLEANLINESS	8.00

Sub Criteria ID	Sub Criteria Name or Description	Aspect Type O = Obj S = Sub J = Judg	Aspect - Description	Judg Score
A1	General Aspects Objective 5 Pt.	O	Elevation A	
		O	Elevation B	
		O	Elevation C	
		O	Elevation D	
A2	General Aspects Subjective 5 Pt	S	Elevation A	
		S	Elevation B	
		S	Elevation C	
		S	Elevation D	

Sub Criteria ID	Sub Criteria Name or Description	Aspect Type O = Obj S = Sub J = Judg	Aspect - Description	Judg Score
B1	Elevation A	O	(1) Length of elevation A	
		O	(2) Left edge of elevation	
		O	(3) Length of cutout	
		O	(4) Length of feature	
		O	(5) Length of cutout	
		O	(6) Length of feature	
		O	(7) Bottom of angled cutout	
		O	(8) Top of angled cutout	
		O	(9) Length of cutout	
		O	(10) Height to the bottom of cutout	
		O	(11) Height of cutout	
		O	(12) Height of left side feature	
		O	(13) Overall height of elevation	
B2	Elevation B	O	(14) Edge of elevation to bottom of angled board	
		O	(15a) Distance between the edge of the top board and the edge of the bottom board	
		O	(16) Distance from the floor to the angle of the top board	
		O	(17) Distance from the angle of the top board to the angle of the bottom board	
		O	(18) Width of door opening	
		O	(19) Right edge of module to the edge of the bottom plasterboard	
		O	(20) Edge of bottom plasterboard to edge of top plasterboard	
		O	(21) Floor to the top of the door opening	
B3	Elevation C	O	(22) Width of door opening	
		O	(22a) Length of cutout	
		O	(23) Length of elevation	
		O	(24) Height from floor to bottom of cutout	
		O	(25) Height of opening	
		O	(26) Overall height of elevation	
B4	Elevation D	O	(27) Overall length of elevation	
		O	(28) Overall height of elevation	
B5	Inner wall			

B6	Module 3	<input type="radio"/>	(29) Floor to bottom of cutout	
		<input type="radio"/>	(30) Height of cutout	
		<input type="radio"/>	(31) Length of opening	
		<input type="radio"/>	(32) Floor to the underside of ceiling	
		<input type="radio"/>	(33) Edge of wall to face of ceiling	
		<input type="radio"/>	(34) Inside of elevation to inside of inner wall	
		<input type="radio"/>	(36) Edge of opening to edge of moulding	
		<input type="radio"/>	(37) Edge of opening to edge of moulding	
		<input type="radio"/>	(38) Edge of opening to edge of moulding	
		<input type="radio"/>	(39) Edge of opening to edge of moulding	
Sub Criteria ID	Sub Criteria  Name or Description	Aspect Type O = Obj S = Sub J = Judg	Aspect - Description	Judg Score
C1	Elevation A Squareness	<input type="radio"/>	a- external angle	
		<input type="radio"/>	b- internal angle	
		<input type="radio"/>	c-internal angle	
		<input type="radio"/>	d- external angle	
		<input type="radio"/>	e - external angle	
		<input type="radio"/>	f- internal angle	
		<input type="radio"/>	g- internal angle	
		<input type="radio"/>	h- external angle	
		<input type="radio"/>	i- internal angle	
		<input type="radio"/>	j-internal angle	
		<input type="radio"/>	k-internal angle	
		<input type="radio"/>	l- internal angle	
C2	Elevation A Plumbness	<input type="radio"/>	Plumb on left side of elevation	
C3	Elevation A Level	<input type="radio"/>	7- Cill on left of elevation	
		<input type="radio"/>	8- Cill right side of elevation	
		<input type="radio"/>	9- Soffit on cutout	
C4	Elevation B Squareness	<input type="radio"/>	10- Cill on cutout	

		<input type="radio"/>	m- internal angle		
		<input type="radio"/>	n- internal angle		
C5	Elevation B Plumbness				
		<input type="radio"/>	Plumb on left side of door opening		
		<input type="radio"/>	Plumb on right side of door opening		
C6	Elevation B Level				
		<input type="radio"/>	Level on door opening head		
C7	Elevation C Squareness				
		<input type="radio"/>	o- external angle		
		<input type="radio"/>	p- internal angle		
		<input type="radio"/>	q- internal angle		
C8	Elevation C Plumbness				
		<input type="radio"/>	Plumb on right side of elevation		
C9	Elevation C Level				
		<input type="radio"/>	Level on opening soffit		
		<input type="radio"/>	Level on opening cill		
C10	Internal wall Squareness				
		<input type="radio"/>	r- internal angle		
		<input type="radio"/>	s- internal angle		
		<input type="radio"/>	t- internal angle		
		<input type="radio"/>	u- internal angle		
		<input type="radio"/>	v- internal angle		
		<input type="radio"/>	w- internal angle		
C11	Internal wall Plumbness				
		<input type="radio"/>	Plumbness on right side of elevation		
C12	Internal wall Level				
		<input type="radio"/>	Level underside of cutout		
C13	Module 3 Squareness				
		<input type="radio"/>	External mitre bottom left of opening		
		<input type="radio"/>	External mitre top right of opening		
C14	Module 3 Plumbness				
		<input type="radio"/>	Plumb left moulding		
C15	Module 3 Level				
		<input type="radio"/>	Level on top rail of opening		

Sub Criteria ID	Sub Criteria Name or Description	Aspect Type O = Obj S = Sub J = Judg	Aspect - Description	Judg Score
D1	Elevation A finishing and coating	O	Elevation A: Are the anglebeads fixed in the correct position	
		O	Elevation A: Are the anglebeads straight	
		O	Elevation A: Are the anglebeads beads clean	
		O	The smoothness of the coating on elevation A	
D2	Elevation C finishing and coating	O	Elevation C :Are the anglebeads fixed in the correct position	
		O	Elevation C Are the anglebeads straight	
		O	Elevation C Are the anglebeads clean	
		O	The smoothness of the coating on elevation C	
D3	Elevation D finishing and coating	O	The smoothness of the coating on elevation D	
D4	The Taping and jointing of Project.	O	Are all tapes fixed in the correct place	
		O	Are the screws covered and finished smoothly	
		O	Are all internal joints filled and smooth	
		O	Are all flat joints filled and smooth	
D5	Overall impression of taping and jointing	S	Finish of internal space of model	
D6	Module 3 Mouldings	O	Alignment of mitered corners (4 external mitres and 2 internal mi	
		O	Finish of mitered corners (4 external mitres and 2 internal mitres	
		O	Finish of skirting moulding	
		O	Finish between the skirting and panel mouldings	
D7	Module 3 Mouldings and plaster	S	Overall impression of Module 3	
Sub Criteria ID	Sub Criteria Name or Description	Aspect Type O = Obj S = Sub J = Judg	Aspect - Description	Judg Score
E1	Elevation A			

E2	Elevation C	<div><div></div><div>Screws spaced at the correct distance. Distance between screws</div></div> <div><div></div><div>Screws fixed at the correct depth Flush with the face of the Plasterboard</div></div> <div><div></div><div>Plasterboard fixed at the correct place</div></div> <div><div></div><div>Metal profile at maximum of 600mm centres</div></div>		
E3	Elevation D	<div><div></div><div>Screws spaced at the correct distance. Distance between screws</div></div> <div><div></div><div>Screws fixed at the correct depth Flush with the face of the Plasterboard</div></div> <div><div></div><div>Plasterboard fixed at correct place</div></div> <div><div></div><div>Metal profile at maximum of 600mm centres</div></div>		
E4	Elevation B	<div><div></div><div>Screws spaced at the correct distance. Distance between screws</div></div> <div><div></div><div>Screws fixed at the correct depth Flush with the face of the Plasterboard</div></div> <div><div></div><div>Plasterboard fixed at correct place</div></div> <div><div></div><div>Metal profile at maximum of 600mm centres</div></div> <div><div></div><div>Is the insulation fitted in the correct position</div></div>		
Sub Criteria ID	Sub Criteria Name or Description	Aspect Type O = Obj S = Sub J = Judg	Aspect - Description	Judg Score
F1	Module 3 Speed competition objective 4Pt.	<div><div></div><div>The time taken to draw &amp; apply the mouldings and skirting mouldings</div></div> <div><div></div><div>Mouldings must be fixed and mitres filled with plaster.</div></div>		
Sub Criteria ID	Sub Criteria Name or Description	Aspect Type O = Obj S = Sub J = Judg	Aspect - Description	Judg Score
G1	Module 4 Freestyle Objective	<div><div></div><div>Accuracy of the first measurement</div></div>		

G3	Module 4 Freestyle Subjective		O	Accuracy of the second measurement	
			O	Is the module completed as in the drawing and the description	
			O	Is the module constructed properly in line with industry technique	
			O	Is the module in the correct area	
			S	The overall impression of the module	
			S	Does module 4 compliment the overall look of the test project	
Sub Criteria ID	Sub Criteria  Name or Description	Aspect Type O = Obj S = Sub J = Judg	Aspect - Description		Judg Score
H1	Half day morning		O	Correct use of glasses, dust mask, gloves half day (morning)	
H2	Half day afternoon		O	at the end of the work period are there any tools on the floor at Lu	
			O	at the end of the work period is there any waste on the floor at Lu	
			O	at the end of the work period is tools box closed at Lunch break	
			O	Correct use of glasses, dust mask, gloves half day (afternoon)	
H3	Half day morning		O	at the end of the work period are there any tools on the floor at ev	
			O	at the end of the work period is there any waste on the floor at ev	
			O	at the end of the work period is tools box closed at evening	
			O	Correct use of glasses, dust mask, gloves half day (morning)	
H4	Half day afternoon		O	at the end of the work period are there any tools on the floor at Lu	
			O	at the end of the work period is there any waste on the floor at Lu	
			O	at the end of the work period is tools box closed at Lunch break	
			O	Correct use of glasses, dust mask, gloves half day (afternoon)	
H5	Half day morning		O	at the end of the work period are there any tools on the floor at ev	
			O	at the end of the work period is there any waste on the floor at ev	
			O	at the end of the work period is tools box closed at evening	
			O	Correct use of glasses, dust mask, gloves half day (morning)	
			O	at the end of the work period are there any tools on the floor at Lu	
			O	at the end of the work period is there any waste on the floor at Lu	
			O	at the end of the work period is tools box closed at Lunch Break	
			O		

H6	Half day afternoon	<input type="radio"/> Correct use of glasses, dust mask, gloves half day (afternoon) <input type="radio"/> at the end of the work period are there any tools on the floor at evening <input type="radio"/> at the end of the work period is there any waste on the floor at evening <input type="radio"/> at the end of the work period is tools box closed at evening	
H7	Half day morning	<input type="radio"/> Correct use of glasses, dust mask, gloves half day (morning) <input type="radio"/> at the end of the work period are there any tools on the floor at Lunch Break <input type="radio"/> at the end of the work period is there any waste on the floor at Lunch Break <input type="radio"/> at the end of the work period is tools box closed at Lunch Break	

1+A1

Extra Aspect Description (Obj or Subj) OR Judgement Score Description (Judg only)	Requirement or Nominal Size (Obj Only)	WSSS Section	Max Mark
Is Elevation A complete. If the elevation is completely covered by the elevation.	Yes/No	4	1.50
Is Elevation B complete.If the elevation is built to the specification.	Yes/No	4	1.00
Is Elevation C complete.If the elevation is completely covered by the elevation.	Yes/No	4	1.50
Is Elevation D complete.If the elevation is completely covered by the elevation.	Yes/No	4	1.00
Overall impression. The marks are based on cleanliness of the elevation.		5	1.50
Overall impression. The marks are based on cleanliness of the elevation.		5	1.00
Overall impression. The marks are based on cleanliness of the elevation.		5	1.50
Overall impression. The marks are based on cleanliness of the elevation.		5	1.00

Criterion  
A

Total  
Mark 10.00

Extra Aspect Description (Obj or Subj) OR Judgement Score Description (Judg only)	Requirement or Nominal Size (Obj Only)	WSSS Section	Max Mark
Measured 100mm from floor	2200mm +/- 3mm	2	1.00
Edge of elevation to edge of cutout measured at the bottom	250mm +/- 1mm	2	0.25
Measured bottom corner to bottom corner	700mm +/- 2mm	2	0.25
Measured bottom corner to bottom corner	300mm +/- 1mm	2	0.25
Measured top corner to top corner	700mm +/- 2mm	2	0.25
Measured Top corner to top corner	250mm +/- 1mm	2	0.25
Measured at floor level	200mm +/- 1mm	2	0.25
Measured corner to corner	600mm +/- 2mm	2	0.25
Measured at the bottom of the cutout	1600mm +/- 3mm	2	0.50
Measured on the left side	1200mm +/- 2mm	2	0.50
Measured on right side	250mm +/- 1mm	2	0.25
Measured on left side	350mm +/- 2mm	2	0.25
Measured on the right side (Measured to the top of the face)	2100mm +/- 3mm	2	1.00
Measured on the floor	500mm +/- 2mm	2	0.25
Measured on the floor	385mm +/- 2mm	2	0.50
Measured on the outside of the elevation	1125mm +/- 2mm	2	1.00
Measured on the outside of the elevation	675mm +/- 2mm	2	0.25
Measured at the floor	760mm +/- 2mm	2	0.25
Measured at the top of the module	680mm +/- 2mm	2	0.50
Measured at the door head	300mm	2	0.25
Measured from the floor to the bottom of the opening (right)	1800mm +/- 3mm	2	1.00
From the outside wall of elevation D measured on floor	850mm +/- 2mm	3	0.50
Measured on soffit	1900mm +/- 3mm	3	1.00
Measured on floor	2200mm +/- 3mm	3	1.00
Measured on opening side	1200mm +/- 2mm	3	0.75
Measured on right side	250mm +/- 1mm	3	0.25
Measured on right side	2100 mm +/- 3mm	3	1.00
Measured 100mm from floor	2200mm +/- 3mm	3	1.00
Measured left side	2100mm +/- 3mm	3	1.00

Criterion B      Total Mark      20.00

Measured on left side	1200mm +/- 2mm	3	0.50
measured on right side	250mm +/- 1mm	3	0.25
Measured on soffit	1600mm +/- 3mm	3	0.50
Measured right side of wall	1900mm +/- 3mm	3	0.75
Measured left side	1000 mm +/- 2mm	3	0.50
Measured right side	1100mm +/- 2mm	3	0.75
measured 100mm up from the skirting mould	20mm +/- 1mm	3	0.25
measured at the middle of the left side	20mm +/- 1mm	3	0.25
measured in the middle of the top rail	20mm +/- 1mm	3	0.25
measured at the midpoint of the right rail	20mm +/- 1mm	3	0.25

Extra Aspect Description (Obj or Subj) OR Judgement Score Description (Judg only)	Requirement or Nominal Size (Obj Only)	WSSS Section	Max Mark
Measured middle of opening	<300mm +/- 2mm	1	0.50
Measured middle of opening	<300mm +/- 2mm	1	0.25
Measured middle of opening	<300mm +/- 2mm	1	0.25
Measured middle of opening	<300mm +/- 2mm	1	0.50
Measured middle of opening	<300mm +/- 2mm	1	0.50
Measured middle of opening	<300mm +/- 2mm	1	0.25
Measured middle of opening	<300mm +/- 2mm	1	0.25
Measured middle of opening	<300mm +/- 2mm	1	0.50
Measured middle of opening	<300mm +/- 2mm	1	0.25
Measured middle of opening	<300mm +/- 2mm	1	0.25
Measured middle of opening	<300mm +/- 2mm	1	0.25
Measured middle of opening	<300mm +/- 2mm	1	0.25
Measured on left side of elevation	<300mm +/- 2mm	1	1.00
Measured in middle of cill	<300mm +/- 2mm	2	0.75
Measured in middle of cill	<300mm +/- 2mm	2	0.75
Measured underside of soffit	<300mm +/- 2mm	1	1.00
Measured on middle of cill	<300mm +/- 2mm	1	1.00

Criterion C      Total Mark      20.00

Measured on middle of opening	<300mm +/- 2mm	8	0.50
Measured on middle of opening	<300mm +/- 2mm	8	0.50
measured on the metal	<300mm +/- 2mm	8	0.75
measured on the metal	<300mm +/- 2mm	8	0.75
measured on metal	<300mm +/- 2mm	8	0.50
Measured on outside of elevation	<300mm +/- 2mm	8	0.50
Measured on outside of elevation	<300mm +/- 2mm	2	0.25
Measured on outside of elevation	<300mm +/- 2mm	8	0.25
Measured right side of elevation	<300mm +/- 2mm	8	0.75
Measured on face of elevation	<300mm +/- 2mm	8	0.75
Measured on face of elevation	<300mm +/- 2mm	8	0.75
Measured right side bottom corner	<300mm +/- 2mm	8	0.25
Angle between wall and ceiling on left side	<300mm +/- 2mm	8	0.25
Measured in middle of opening	<300mm +/- 2mm	8	0.25
Measured in middle of opening	<300mm +/- 2mm	8	0.25
Measured in middle of opening	<300mm +/- 2mm	8	0.25
Measured in middle of opening	<300mm +/- 2mm	8	0.25
Measured right side of elevation	<300mm +/- 2mm	8	0.75
Measured in middle of soffit	<300mm +/- 2mm	8	0.75
Measured on outside of angle	<300mm +/- 2mm	8	0.50
Measured on outside of angle	<300mm +/- 2mm	8	0.50
Measured on edge of moulding	<300mm +/- 2mm	8	0.25
Measured on outside of moulding	<300mm +/- 2mm	8	1.00

Extra Aspect Description (Obj or Subj) OR Judgement Score Description (Judg only)	Requirement or Nominal Size (Obj Only)	WSSS Section	Max Mark
All Beads 1.50 / each 1 part missing deduce 0.20 Points		2	1.00
All straight 1.50 Pt. / each anglebeads more then +/- 1mm		2	1.00
All Beads clean 1.00 / If more than 10% dirty deduct 0.5		6	1.00
Is the surface smooth. Maximum of 30% not smooth		7	1.75
All Beads 1.50 / each 1 part missing deduce 0.20 Points		2	0.50
All straight 1.50 Pt. / each anglebeads more then +/- 1mm		2	0.50
All Beads clean 1.00 / If more than 10% dirty deduct 0.5		6	1.00
Is the surface smooth. Maximum of 30% not smooth		5	1.75
Is the surface smooth. Maximum of 30% not smooth		5	1.75
Are the tapes bedded in smoothly with no bubbles or miss		5	0.50
No more them 10% not correct		5	0.50
No buildup of material on joint areas more than 10%		5	0.75
No buildup of material on joint areas more than 10%		5	0.75
Tapes in place: No bubbles or missed areas: No buildup o		5	1.25
Are all moulding sections lined through with the members		6	1.25
All mouldings clean and fully filled with all members lined t		6	1.25
Is the skirting moulding cut in line with both the angled cut		6	0.75
All joints are clean without marks and plaster left 1 Pt. / ea		6	0.75
Overall impression. The marks are based on cleanliness d		6	2.00
Extra Aspect Description (Obj or Subj) OR Judgement Score Description (Judg only)	Requirement or Nominal Size (Obj Only)	WSSS Section	Max Mark

Criterion D      Total Mark      20.00

Criterion E      Total Mark      10.00

< 200 mm over 95% correct 1 Pt./ over 80% correct 0.50 Pt.	Yes/No	4	1.00
over 95% correct 1 Pt./ over 80% correct 0.50 Pt.	Yes/No	6	1.00
It is fixed in the correct position 1 Pt. / 1 part missed 0.5 Pt.	Yes/No	6	0.10
It is fixed in the correct position 1 Pt. / 1 missed 0.5 Pt./ m	Yes/No	6	0.25
< 200 mm over 95% correct 0.50 Pt./ over 80% correct 0.25 Pt.	Yes/No	4	1.00
over 95% correct 0.50 Pt./ over 80% correct 0.25 Pt.	Yes/No	6	0.50
It is fixed in the correct position 1 Pt. / 1 part missed 0.5 Pt.	Yes/No	6	1.00
It is fixed in the correct position 1 Pt. / 1 missed 0.5 Pt./ m	Yes/No	6	0.25
< 200 mm over 95% correct 0.50 Pt./ over 80% correct 0.25 Pt.	Yes/No	4	1.00
over 95% correct 0.50 Pt./ over 80% correct 0.25 Pt.	Yes/No	6	1.00
It is fixed in the correct position 1 Pt. / 1 part missed 0.5 Pt.	Yes/No	6	0.10
It is fixed in the correct position 1 Pt. / 1 missed 0.5 Pt./ m	Yes/No	6	0.25
< 200 mm over 95% correct 0.50 Pt./ over 80% correct 0.25 Pt.	Yes/No	6	1.00
over 95% correct 0.50 Pt./ over 80% correct 0.25 Pt.	Yes/No	6	1.00
It is fixed in the correct position 1 Pt. / 1 part missed 0.5 Pt.	Yes/No	6	0.10
It is fixed in the correct position 1 Pt. / 1 missed 0.5 Pt./ m	Yes/No	6	0.25
Between all the studs and from floor to ceiling	Yes/No	4	0.20

Extra Aspect Description (Obj or Subj) OR Judgement Score Description (Judg only)	Requirement or Nominal Size (Obj Only)	WSSS Section	Max Mark
---	--	-----------------	-------------

Criterion F      Total Mark      4.00

Time Stopped. The time taken to draw & apply the cornice		7	2.60
All element and mitres correct 1.40 Pt./ 1 element or mitre		7	1.40

Extra Aspect Description (Obj or Subj) OR Judgement Score Description (Judg only)	Requirement or Nominal Size (Obj Only)	WSSS Section	Max Mark
---	--	-----------------	-------------

Criterion G      Total Mark      8.00

Taken from drawing provided	Yes/No	9	1.00
-----------------------------	--------	---	------

Taken from drawing provided	Yes/No	9	1.00
Taken from drawing provided	Yes/No	9	1.00
Taken from drawing provided	Yes/No	9	1.00
Taken from drawing provided	Yes/No	9	1.00
Scores are awarded on a scale of 1 to 10 (see technical d		9	1.50
Scores are awarded on a scale of 1 to 10 (see technical d		9	1.50

Extra Aspect Description (Obj or Subj) OR Judgement Score Description (Judg only)	Requirement or Nominal Size (Obj Only)	WSSS Section	Max Mark
each time missed deduct 0.10 Pt.	Yes/No	1	0.60
each time missed deduct 0.10 Pt.	Yes/No	1	0.20
each time missed deduct 0.10 Pt.	Yes/No	1	0.20
each time missed deduct 0.10 Pt.	Yes/No	1	0.20
each time missed deduct 0.10 Pt.	Yes/No	1	0.70
each time missed deduct 0.10 Pt.	Yes/No	1	0.20
each time missed deduct 0.10 Pt.	Yes/No	1	0.20
each time missed deduct 0.10 Pt.	Yes/No	1	0.20
each time missed deduct 0.10 Pt.	Yes/No	1	0.60
each time missed deduct 0.10 Pt.	Yes/No	1	0.20
each time missed deduct 0.10 Pt.	Yes/No	1	0.20
each time missed deduct 0.10 Pt.	Yes/No	1	0.20
each time missed deduct 0.10 Pt.	Yes/No	1	0.70
each time missed deduct 0.10 Pt.	Yes/No	1	0.20
each time missed deduct 0.10 Pt.	Yes/No	1	0.20
each time missed deduct 0.10 Pt.	Yes/No	1	0.20
each time missed deduct 0.10 Pt.	Yes/No	1	0.40
each time missed deduct 0.10 Pt.	Yes/No	1	0.20
each time missed deduct 0.10 Pt.	Yes/No	1	0.20
each time missed deduct 0.10 Pt.	Yes/No	1	0.20

Criterion H      Total Mark      8.00

each time missed deduct 0.10 Pt.	Yes/No	1	0.40
each time missed deduct 0.10 Pt.	Yes/No	1	0.20
each time missed deduct 0.10 Pt.	Yes/No	1	0.20
each time missed deduct 0.10 Pt.	Yes/No	1	0.20
each time missed deduct 0.10 Pt.	Yes/No	1	0.40
each time missed deduct 0.10 Pt.	Yes/No	1	0.20
each time missed deduct 0.10 Pt.	Yes/No	1	0.20
each time missed deduct 0.10 Pt.	Yes/No	1	0.20

Competition      Total  
Mark      100.00